




CEILING LIGHT SERIES



LED CEILING LIGHT NOVA



MODEL	POWER	LUMENS	DIMENSION
DZ-03-SRCNW8**-9W	9W	900LM	Ø 100x50MM
DZ-03-SRCNW8**-18W	18W	1800LM	Ø 150x60MM
DZ-03-SRCNW8**-24W	24W	2400LM	Ø 200x70MM

** CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza NOVA Led Ceiling Lights are Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body. NOVA series are made with premium grade polycarbonate body, high quality diffuser with premium Led chips.

LA DESCRIPTION

Les plafonniers **LeDenza NOVA** Led sont élégants, durables et conçus pour une longue durée de vie, une installation facile et un faible entretien avec un corps sans soudure. La série NOVA est fabriquée avec un corps en polycarbonate de qualité supérieure, un diffuseur de haute qualité avec des puces LED de qualité supérieure.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.95

220-240V AC


-10°C to 40°C

25,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards

BEAM ANGLE 140



LED DRIVERS



LED CHIPS



LED CEILING LIGHT ZIRCON



MODEL	POWER	LUMENS	DIMENSION
DZ-03-SSCZW8**-9W	9W	900LM	100x100x50MM
DZ-03-SSCZW8**-18W	18W	1800LM	150x150x60MM
DZ-03-SSCZW8**-24W	24W	2400LM	200x200x70MM

** CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza ZIRCON Led Ceiling Lights are Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body. ZIRCON series are made with premium grade polycarbonate body, high quality diffuser with premium Led chips.

LA DESCRIPTION

Les plafonniers **LeDenza** ZIRCON Led sont élégants, durables et conçus pour une longue durée de vie, une installation facile et un faible entretien avec un corps sans soudure. La série ZIRCON est fabriquée avec un corps en polycarbonate de qualité supérieure, un diffuseur de haute qualité avec des puces LED de qualité supérieure.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.95



220-240V AC

-10°C to 40°C

25,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS

OSRAM FULHAM PHILIPS

LED CHIPS

bridgelux. CREE CITIZEN NICHIA


LED SURFACE LIGHT

JOVIAL



		MODEL	POWER	LUMENS	DIMENSION
ROUND	WHITE BODY	DZ-03-SRDJW8**-8W	8W	720LM	Ø55x100MM
		DZ-03-SRDJW8**-12W	12W	1080LM	Ø55x150MM
	BLACK BODY	DZ-03-SRDBJ7**-8W	8W	720LM	Ø55x100MM
		DZ-03-SRDBJ7**-12W	12W	1080LM	Ø55x150MM
SQUARE	WHITE BODY	DZ-03-SSDJW8**-8W	8W	720LM	53x53x72MM
		DZ-03-SSDJW8**-12W	12W	1080LM	75x75x95MM
	BLACK BODY	DZ-03-SSDBJ7**-8W	8W	720LM	53x53x72MM
		DZ-03-SSDBJ7**-12W	12W	1080LM	75x75x95MM

** CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza JOVIAL Led Surface Lights are Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body. JOVIAL series are made with premium grade aluminium body, high quality diffuser with premium Led chips.

LA DESCRIPTION

Les lumières de surface **LeDenza JOVIAL** Led sont élégantes, durables et conçues pour une longue durée de vie, une installation facile et un faible entretien avec un corps sans couture. Les séries JOVIAL sont fabriquées avec un corps en aluminium de qualité supérieure, un diffuseur de haute qualité avec des puces Led de qualité supérieure.

AREA OF APPLICATION


Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR	0.95
INPUT	220-240V AC
OPERATING TEMP.	-10°C to 40°C
LIFE SPAN	40,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS

MW OSRAM FULHAM PHILIPS

LED CHIPS

bridgelux. CREE CITIZEN NICHIA

LED CEILING LIGHT

QABY



MODEL	POWER	LUMENS	DIMENSION
DZ-03-SRPQW8WW-3W	3W	270LM	Ø67x15MM
DZ-03-SRPQW8NW-3W	3W	285LM	Ø67x15MM
DZ-03-SRPQW8CW-3W	3W	300LM	Ø67x15MM
DZ-03-SRPQW8PK-3W	3W	225LM	Ø67x15MM
DZ-03-SRPQW8BL-3W	3W	225LM	Ø67x15MM
DZ-03-SRPQW8GR-3W	3W	225LM	Ø67x15MM

** CW = 6500K; NW = 4000K; WW = 3000K; PK = PINK; BL = BLUE; GR = GREEN



DESCRIPTION

LeDenza QABY Led Ceiling Lights are Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body. Installed in Cabinets and Ceilings. QABY series are made with premium grade moulded body, high quality diffuser with premium Led chips.

LA DESCRIPTION

Les plafonniers **LeDenza QABY** sont élégants, durables et conçus pour une longue durée de vie, une installation facile et un faible entretien avec un corps sans soudure. Installé dans les armoires et les plafonds. Les séries QABY sont fabriquées avec un corps moulé de qualité supérieure, un diffuseur de haute qualité avec des puces LED de qualité supérieure.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.95


220-240V AC

-10°C to 40°C

25,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS

OSRAM FULHAM PHILIPS

LED CHIPS

bridgelux. CREE CITIZEN NICHIA

LED PENDANT LIGHT PERT



>>	MODEL	POWER	LUMENS	DIMENSION
WHITE BODY	DZ-03-SPLPW8**-8W	8W	720LM	170x75MM
	DZ-03-SPLPW8**-12W	12W	1080LM	170x101MM
BLACK BODY	DZ-03-SPLPB7**-8W	8W	720LM	170x75MM
	DZ-03-SPLPB7**-12W	12W	1080LM	170x101MM

**CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza PERT series are slim cylindrical shape with integrated driver to minimize overall dimensions. Versatile and beautiful, this type of luminaire delivers high quality light results. PERT, with the elegance of its design makes this item suitable for any indoor application as projector, pendant or accent light.

LA DESCRIPTION

La série **LeDenza** PERT est de forme cylindrique mince avec un pilote intégré pour minimiser les dimensions globales. Polyvalent et beau, ce type de luminaire offre des résultats d'éclairage de haute qualité. PERT, avec l'élégance de son design, rend cet article adapté à toute application intérieure en tant que projecteur, suspension ou éclairage d'appoint.

AREA OF APPLICATION


Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

FEATURES	High Efficacy
	Easy Installation
	More Bright
	Long Life
	0.95
POWER FACTOR	0.95
INPUT	220-240V AC
OPERATING TEMP.	-20°C to 50°C
LIFE SPAN	40,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS



LED CHIPS




LED PENDANT LIGHT

LITTZ



	MODEL	POWER	LUMENS	DIMENSION
WHITE BODY	DZ-03-SPLLW8**12W	12W	1200LM	220x101MM
	DZ-03-SPLLW8**15W	15W	1500LM	220x101MM
BLACK BODY	DZ-03-SPLLB7**12W	12W	1200LM	220x101MM
	DZ-03-SPLLB7**15W	15W	1500LM	220x101MM

**CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza LITTZ series are classic cylindrical shape with integrated driver to minimize overall dimensions. Versatile and beautiful, this type of luminaire delivers high quality light results. LITTZ, with the elegance of its design makes this item suitable for any indoor application as projector, pendant or accent light.

LA DESCRIPTION

La série **LeDenza** LITTZ est de forme cylindrique classique avec pilote intégré pour minimiser les dimensions globales. Polyvalent et beau, ce type de luminaire offre des résultats d'éclairage de haute qualité. LITTZ, avec l'élégance de son design, rend cet article adapté à toute application intérieure en tant que projecteur, suspension ou lumière d'accentuation.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.95


220-240V AC

-20°C to 50°C

50,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS

OSRAM FULHAM PHILIPS

LED CHIPS


bridgelux. CREE CITIZEN NICHIA

LED PENDANT LIGHT INSPIRE



MODEL	POWER	LUMENS	DIMENSION
DZ-03-RPLIW8**-30W	30W	3300LM	Ø400x55x60MM
DZ-03-SPLIW8**-30W	30W	3300LM	400x400x50x75MM
DZ-03-HPLIW8**-30W	30W	3300LM	6*300x50x75MM
DZ-03-RPLIB7**-30W	30W	3300LM	Ø400x55x60MM
DZ-03-SPLIB7**-30W	30W	3300LM	400x400x50x75MM
DZ-03-HPLIB7**-30W	30W	3300LM	6*300x50x75MM

**CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza INSPIRÉ has promising LED source giving high performances while saving energy, in the respect of all the modern norms and the human health comfort and safety. INSPIRÉ is made with extruded aluminium powder coated in RAL colors and with high graded polycarbonate diffuser.

LA DESCRIPTION

LeDenza INSPIRÉ dispose d'une source LED prometteuse offrant de hautes performances tout en économisant l'énergie, dans le respect de toutes les normes modernes et du confort et de la sécurité de la santé humaine. INSPIRÉ est fabriqué en aluminium extrudé peint en poudre dans les couleurs RAL et avec un diffuseur en polycarbonate de haute qualité.

AREA OF APPLICATION


Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

High Efficacy
Easy Installation
More Bright
Long Life
POWER FACTOR 0.95
INPUT 220-240V AC
OPERATING TEMP. -10°C to 40°C
LIFE SPAN 30,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS



LED CHIPS



LED TRACK LIGHT

LEGEND



>>	MODEL	POWER	LUMENS	DIMENSION
WHITE BODY	DZ-03-TLLGW8**-15W	15W	1275LM	Ø62x110MM
	DZ-03-TLLGW8**-20W	20W	1700LM	Ø82x130MM
	DZ-03-TLLGW8**-25W	25W	2125LM	Ø82x130MM
	DZ-03-TLLGW8**-30W	30W	2550LM	Ø92x140MM
	DZ-03-TLLGW8**-35W	35W	2975LM	Ø92x140MM
BLACK BODY	DZ-03-TLLGB7**-15W	15W	1275LM	Ø62x110MM
	DZ-03-TLLGB7**-20W	20W	1700LM	Ø82x130MM
	DZ-03-TLLGB7**-25W	25W	2125LM	Ø82x130MM
	DZ-03-TLLGB7**-30W	30W	2550LM	Ø92x140MM
	DZ-03-TLLGB7**-35W	35W	2975LM	Ø92x140MM

**CW = 6500K; NW = 4000K; WW = 3000K

DESCRIPTION

LeDenza LEGEND Track Lights are functional in a minimal design, highly precise light emission and its design is distinguished as a projector focal lighting. LEGEND is designed with highly efficient lighting source and guarantees excellent performance and low consumptions of energy. Available in choice of RAL colors which ensures more stylish luminaire.

LA DESCRIPTION

LeDenza LEGEND Track Lights are functional in a minimal design, highly precise light emission and its design is distinguished as a projector focal lighting. LEGEND is designed with highly efficient lighting source and guarantees excellent performance and low consumptions of energy. Available in choice of RAL colors which ensures more stylish luminaire.

AREA OF APPLICATION


Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR	0.95
INPUT	220-240V AC
OPERATING TEMP.	-10°C to 40°C
LIFE SPAN	40,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS

OSRAM FULHAM PHILIPS

LED CHIPS

bridgelux. CREE CITIZEN NICHIA



LED FOCUS LIGHT T-FOCUS



>>	MODEL	POWER	LUMENS	DIMENSION
WHITE BODY	DZ-03-FLTFW8**-4W	4W	410LM	
	DZ-03-FLTFW8**-8W	8W	720M	
	DZ-03-FLTFW8**-12W	12W	1080LM	
BLACK BODY	DZ-03-FLTFW8**-4W	4W	410LM	
	DZ-03-FLTFB7**-8W	8W	720M	
	DZ-03-FLTFB7**-12W	12W	1080LM	

**CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza T-FOCUS luminaires are functional in a minimal design, highly precise light emission and its design is distinguished as a projector focal lighting. T-FOCUS is designed with highly efficient lighting source and guarantees excellent performance and low consumptions of energy. Available in choice of RAL colors which ensures more stylish luminaire.

LA DESCRIPTION

LeDenza T-FOCUS luminaires are functional in a minimal design, highly precise light emission and its design is distinguished as a projector focal lighting. T-FOCUS is designed with highly efficient lighting source and guarantees excellent performance and low consumptions of energy. Available in choice of RAL colors which ensures more stylish luminaire.

AREA OF APPLICATION


Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

FEATURES	High Efficacy
	Easy Installation
	More Bright
	Long Life
POWER FACTOR	0.95
INPUT	220-240V AC
OPERATING TEMP.	-10°C to 40°C
LIFE SPAN	30,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS



LED CHIPS

