

SPOT &
DOWN LIGHT
SERIES




LED COB SPOT LIGHT

ZYNO



>>	MODEL	POWER	LUMENS	DIMENSION	CUTOUT
WHITE BODY	DZ-01-RSZYW8**-4W	4W	360LM	Ø 50x50MM	Ø 42MM
	DZ-01-RSZYW8**-8W	8W	720LM	Ø 68x55MM	Ø 62MM
	DZ-01-RSZYW8**-12W	12W	1080LM	Ø 85x80MM	Ø 75MM
BLACK BODY	DZ-01-RSZYB7**-4W	4W	360LM	Ø 50x50MM	Ø 42MM
	DZ-01-RSZYB7**-8W	8W	720LM	Ø 68x55MM	Ø 62MM
	DZ-01-RSZYB7**-12W	12W	1080LM	Ø 85x80MM	Ø 75MM

** CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza ZYNO Led Spot Lights are Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body. ZYNO is made with premium grade aluminium die-cast housing, heat sinks with premium Led chips.

LA DESCRIPTION

Les spots LED **LeDenza ZYNO** sont élégants, durables et conçus pour une longue durée de vie, une installation facile et un faible entretien avec un corps sans soudure. ZYNO est fabriqué avec un boîtier en aluminium moulé sous pression de qualité supérieure, des dissipateurs de chaleur avec des puces LED de qualité supérieure.

AREA OF APPLICATION


Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

FEATURES	High Efficacy
	Easy Installation
	More Bright
	Long Life
POWER FACTOR	0.95
INPUT	220-240V AC
OPERATING TEMP.	-10°C to 50°C
LIFE SPAN	30,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS

MW OSRAM FULHAM PHILIPS

LED CHIPS

bridgelux. CREE CITIZEN NICHIA

LED COB DOWN LIGHT

AMIGO



>>	MODEL	POWER	LUMENS	DIMENSION	CUTOUT
WHITE BODY	DZ-01-RDAMW8**-8W	8W	720LM	Ø73x58MM	Ø62MM
	DZ-01-RDAMW8**-12W	12W	1080LM	Ø85x68MM	Ø70MM
	DZ-01-RDAMW8**-20W	20W	1800LM	Ø113x90MM	Ø93MM
	DZ-01-RDAMW8**-30W	30W	2700LM	Ø113x90MM	Ø93MM
BLACK BODY	DZ-01-RDAMB7**-8W	8W	720LM	Ø73x58MM	Ø62MM
	DZ-01-RDAMB7**-12W	12W	1080LM	Ø85x68MM	Ø70MM
	DZ-01-RDAMB7**-20W	20W	1800LM	Ø113x90MM	Ø93MM
	DZ-01-RDAMB7**-30W	30W	2700LM	Ø113x90MM	Ø93MM

**CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza AMIGO Led Spot Lights are Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body. AMIGO are made with premium grade aluminium die-cast housing, heat sinks with premium Led chips.

LA DESCRIPTION

Les spots LED **LeDenza AMIGO** sont élégants, durables et conçus pour une longue durée de vie, une installation facile et un faible entretien avec un corps sans soudure. Les AMIGO sont fabriqués avec un boîtier en aluminium moulé sous pression de qualité supérieure, des dissipateurs de chaleur avec des puces LED de qualité supérieure.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.95


220-240V AC

-10°C to 50°C

30,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS



LED CHIPS



LED COB DOWN LIGHT

ZESTA



>>	MODEL	POWER	LUMENS	DIMENSION	CUTOUT
WHITE BODY	DZ-01-RDZTW8**-4W	4W	380LM	Ø50x50MM	Ø42MM
	DZ-01-RDZTW8**-8W	8W	760LM	Ø80x70MM	Ø74MM
	DZ-01-RDZTW8**-12W	12W	1140LM	Ø89x88MM	Ø82MM
	DZ-01-RDZTW8**-20W	20W	1900LM	Ø105x115MM	Ø97MM
	DZ-01-RDZTW8**-30W	30W	2850LM	Ø105x115MM	Ø97MM
BLACK BODY	DZ-01-RDZTB7**-4W	4W	380LM	Ø50x50MM	Ø42MM
	DZ-01-RDZTB7**-8W	8W	760LM	Ø80x70MM	Ø74MM
	DZ-01-RDZTB7**-12W	12W	1140LM	Ø89x88MM	Ø82MM
	DZ-01-RDZTB7**-20W	20W	1900LM	Ø105x115MM	Ø97MM
	DZ-01-RDZTB7**-30W	30W	2850LM	Ø105x115MM	Ø97MM

** CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza ZESTA Led Spot Lights are Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body. ZESTA is made with premium grade aluminium die-cast housing, heat sinks with premium Led chips.

LA DESCRIPTION

Les spots LED **LeDenza ZESTA** sont élégants, durables et conçus pour une longue durée de vie, une installation facile et un faible entretien avec un corps sans soudure. ZESTA est fabriqué avec un boîtier en aluminium moulé sous pression de qualité supérieure, des dissipateurs de chaleur avec des puces LED de qualité supérieure.

AREA OF APPLICATION


Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR	0.95
INPUT	220-240V AC
OPERATING TEMP.	-10°C to 50°C
LIFE SPAN	30,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS



LED CHIPS



LED COB DOWN LIGHT

LEO



MODEL	POWER	LUMENS	DIMENSION	CUTOUT
DZ-01-RSPLEO**-3W	3W	270LM	Ø 65x50MM	Ø 53MM
DZ-03-RSPLEO**-6W	6W	540LM	Ø 88x50MM	Ø 76MM
DZ-03-RSPLEO**-10W	10W	900LM	Ø 88x50MM	Ø 76MM

** CW = 6500K; NW = 4000K; WW = 3000K

DESCRIPTION

LeDenza LEO Led Spot Lights are Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body. LEO is made with premium grade aluminium die-cast housing, heat sinks with premium Led chips.

LA DESCRIPTION

Les spots LED **LeDenza** LEO sont élégants, durables et conçus pour une longue durée de vie, une installation facile et un faible entretien avec un corps sans soudure. LEO est fabriqué avec un boîtier en aluminium moulé sous pression de qualité supérieure, des dissipateurs de chaleur avec des puces LED de qualité supérieure.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.90


220-240V AC

-10°C to 40°C

25,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards




LED DRIVERS

OSRAM **FULHAM** **PHILIPS**

LED CHIPS

BRIDGELUX **CREE** **CITIZEN** **NICHIA**



LED COB DOWN LIGHT

RIO



	MODEL	POWER	LUMENS	DIMENSION	CUTOUT
WHITE BODY	DZ-01-RDNRW8**5W	5W	500LM	83x83x83MM	77x77MM
	DZ-01-RDNRW8**9W	9W	900LM	83x83x83MM	77x77MM
	DZ-01-RDNRW8**12W	12W	1200LM	83x83x83MM	77x77MM
BLACK BODY	DZ-01-RDNRB7**5W	5W	500LM	83x83x83MM	77x77MM
	DZ-01-RDNRB7**9W	9W	900LM	83x83x83MM	77x77MM
	DZ-01-RDNRB7**12W	12W	1200LM	83x83x83MM	77x77MM

** CW = 6500K; NW = 4000K; WW = 3000K

DESCRIPTION

LeDenza RIO Led Spot Lights are designed to give aesthetic ceiling by its square shape and minimal trim. Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body. RIO is made with premium grade aluminium die-cast housing, heat sinks with premium Led chips.

LA DESCRIPTION

Les spots LED LeDenza RIO sont conçus pour donner un plafond esthétique par sa forme carrée et sa garniture minimale. Élégant, durable et conçu pour une longue durée de vie, une installation facile et peu d'entretien avec un corps sans couture. RIO est fabriqué avec un boîtier en aluminium moulé sous pression de qualité supérieure, des dissipateurs de chaleur avec des puces LED de qualité supérieure.

AREA OF APPLICATION


Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

FEATURES	High Efficacy
	Easy Installation
	More Bright
	Long Life
POWER FACTOR	0.95
INPUT	220-240V AC
OPERATING TEMP.	-20°C to 50°C
LIFE SPAN	50,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards




LED DRIVERS

MW OSRAM FULHAM PHILIPS

LED CHIPS

bridgelux. CREE CITIZEN NICHIA




LED COB DOWN LIGHT

DUEX



>>	MODEL	POWER	LUMENS	DIMENSION	CUTOUT
WHITE BODY	DZ-01-RDNDW8**10W	10W	1000LM	162x83x83MM	157x77MM
	DZ-01-RDNDW8**18W	18W	1800LM	162x83x83MM	157x77MM
	DZ-01-RDNDW8**24W	24W	2400LM	162x83x83MM	157x77MM
BLACK BODY	DZ-01-RDNDB7**10W	10W	1000LM	162x83x83MM	157x77MM
	DZ-01-RDNDB7**18W	18W	1800LM	162x83x83MM	157x77MM
	DZ-01-RDNDB7**24W	24W	2400LM	162x83x83MM	157x77MM

** CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza DUEX are twin headed square shape cob spot lights with Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body and minimal trim. DUEX is made with premium grade aluminium die-cast housing, heat sinks with premium Led chips.

LA DESCRIPTION

LeDenza DUEX sont des spots à tête double en cob de forme carrée, élégants, durables et conçus pour une longue durée de vie, une installation facile et un faible entretien avec un corps sans couture et une garniture minimale. DUEX est fabriqué avec un boîtier en aluminium moulé sous pression de qualité supérieure, des dissipateurs de chaleur avec des puces LED de qualité supérieure.

AREA OF APPLICATION


Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

FEATURES	High Efficacy
	Easy Installation
	More Bright
	Long Life
POWER FACTOR	0.95
INPUT	220-240V AC
OPERATING TEMP.	-20°C to 50°C
LIFE SPAN	50,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS



LED CHIPS



LED COB DOWN LIGHT

TRIGMA



>>	MODEL	POWER	LUMENS	DIMENSION	CUTOUT
WHITE BODY	DZ-01-RDTGW8**10W	10W	1000LM	162x83x83MM	157x77MM
	DZ-01-RDTGW8**18W	18W	1800LM	162x83x83MM	157x77MM
	DZ-01-RDTGW8**24W	24W	2400LM	162x83x83MM	157x77MM
BLACK BODY	DZ-01-RDTGB7**10W	10W	1000LM	162x83x83MM	157x77MM
	DZ-01-RDTGB7**18W	18W	1800LM	162x83x83MM	157x77MM
	DZ-01-RDTGB7**24W	24W	2400LM	162x83x83MM	157x77MM

** CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza TRIGMA down lights powerful light source which can be used in high ceilings. The COB LED is specially chosen to provide high lumen results in uniform and pleasant light effect. TRIGMA has different beam angles; also adopts stable, longlife and have no UV / IR emission.

LA DESCRIPTION

LeDenza TRIGMA downlights source de lumière puissante qui peut être utilisée dans les hauts plafonds. La LED COB est spécialement choisie pour fournir des résultats lumineux élevés dans un effet lumineux uniforme et agréable. TRIGMA a différents angles de faisceau ; adopte également stable, longue durée de vie et n'a aucune émission UV/IR.

AREA OF APPLICATION


Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

FEATURES	High Efficacy
	Easy Installation
	More Bright
	Long Life
POWER FACTOR	0.95
INPUT	220-240V AC
OPERATING TEMP.	-20°C to 50°C
LIFE SPAN	50,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS




LED CHIPS



LED TRIMLESS DOWN LIGHT

TISAT



>>	MODEL	POWER	LUMENS	DIMENSION	CUTOUT
WHITE BODY	DZ-01-TLDTW8**7W	7W	700LM	75x75x107MM	76x76MM
	DZ-01-TLDTW8**9W	9W	900LM	75x75x107MM	76x76MM
	DZ-01-TLDTW8**12W	12W	1200LM	75x75x118MM	76x76MM
	DZ-01-TLDTW8**18W	18W	1800LM	75x75x118MM	76x76MM
BLACK BODY	DZ-01-TLDTB7**7W	7W	700LM	75x75x107MM	76x76MM
	DZ-01-TLDTB7**9W	9W	900LM	75x75x107MM	76x76MM
	DZ-01-TLDTB7**12W	12W	1200LM	75x75x118MM	76x76MM
	DZ-01-TLDTB7**18W	18W	1800LM	75x75x118MM	76x76MM

** CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza TISAT trimless square shaped spot light adopts qualified super bright LEDs as light source, which are stable, long life and have no UV & IR emission. TISAT is available in a choice of options in a matter of design and power which makes it versatile.

LA DESCRIPTION

Le spot de forme carrée sans bordure **LeDenza** TISAT adopte des LED super lumineuses qualifiées comme source de lumière, qui sont stables, de longue durée de vie et n'ont aucune émission UV et IR. TISAT est disponible dans un choix d'options en matière de conception et de puissance, ce qui le rend polyvalent.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.95


220-240V AC

-20°C to 50°C

50,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS

OSRAM FULHAM PHILIPS

LED CHIPS

bridgelux. CREE CITIZEN NICHIA

LED TRIMLESS DOWN LIGHT

ENSAT



DESCRIPTION

LeDenza ENSAT trimless round shaped spot light adopts qualified super bright LEDs as light source, which are stable, long life and have no UV & IR emission. ENSAT is available in a choice of options in a matter of design and power which makes it versatile.

LA DESCRIPTION


Le spot de forme ronde sans bordure **LeDenza** ENSAT adopte des LED super lumineuses qualifiées comme source de lumière, qui sont stables, de longue durée de vie et n'ont aucune émission UV et IR. ENSAT est disponible dans un choix d'options en matière de design et de puissance qui le rend polyvalent.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

>>	MODEL	POWER	LUMENS	DIMENSION	CUTOUT
WHITE BODY	DZ-01-TLDEW8**7W	7W	700LM	Ø78MMx110	Ø75MM
	DZ-01-TLDEW8**9W	9W	900LM	Ø78MMx110	Ø75MM
	DZ-01-TLDEW8**12W	12W	1200LM	Ø78MMx125	Ø75MM
	DZ-01-TLDEW8**18W	18W	1800LM	Ø78MMx125	Ø75MM
BLACK BODY	DZ-01-TLDEB7**7W	7W	700LM	Ø78MMx110	Ø75MM
	DZ-01-TLDEB7**9W	9W	900LM	Ø78MMx110	Ø75MM
	DZ-01-TLDEB7**12W	12W	1200LM	Ø78MMx125	Ø75MM
	DZ-01-TLDEB7**18W	18W	1800LM	Ø78MMx125	Ø75MM

** CW = 6500K; NW = 4000K; WW = 3000K



FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.95


220-240V AC

-20°C to 50°C

50,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS



LED CHIPS



LED SCOOP DOWN LIGHT

ALOVE



>>	MODEL	POWER	LUMENS	DIMENSION	CUTOUT
WHITE BODY	DZ-01-RSDLAV**15W	15W	1500LM	Ø110x95MM	Ø95MM
	DZ-01-RSDLAV**25W	25W	2500LM	Ø135x95MM	Ø115MM
	DZ-01-RSDLAV**40W	40W	4000LM	Ø165x95MM	Ø145MM

** CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza ALOVE adjustable scoop down light adopts qualified super bright LEDs as light source, which are stable, long life and have no UV & IR emission. ALOVE has a compact design and its suitable for a wide variety of applications. Can be mounted everywhere, thanks also to its easy installation requirements.

LA DESCRIPTION

La lumière réglable vers le bas **LeDenza ALOVE** adopte des LED super brillantes qualifiées comme source de lumière, qui sont stables, de longue durée de vie et n'ont aucune émission UV et IR. ALOVE a un design compact et convient à une grande variété d'applications. Peut être monté partout, grâce également à ses exigences d'installation faciles.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.95


220-240V AC

-10°C to 40°C

30,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS

OSRAM FULHAM PHILIPS

LED CHIPS

bridgelux. CREE CITIZEN NICHIA

LED MODULAR LIGHT

GEMZ



>>	MODEL	POWER	LUMENS	DIMENSION	CUTOUT
WHITE BODY	DZ-01-RMGMW8**-2W	2W	200LM	44x44MM	38x38MM
	DZ-01-RMGMW8**-4W	4W	400LM	75x44MM	70x38MM
	DZ-01-RMGMW8**-10W	10W	1000LM	147x44MM	140x38MM
BLACK BODY	DZ-01-RMGMB7**-2W	2W	200LM	44x44MM	38x38MM
	DZ-01-RMGMB7**-4W	4W	400LM	75x44MM	70x38MM
	DZ-01-RMGMB7**-10W	10W	1000LM	147x44MM	140x38MM

** CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza GEMZ Led Modular Spot Lights are Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body. GEMZ are made with premium grade aluminium die-cast housing, heat sinks with premium Led chips.

LA DESCRIPTION

Les projecteurs modulaires **LeDenza** GEMZ Led sont élégants, durables et conçus pour une longue durée de vie, une installation facile et un faible entretien avec un corps sans soudure. Les GEMZ sont fabriqués avec un boîtier en aluminium moulé sous pression de qualité supérieure, des dissipateurs de chaleur avec des puces LED de qualité supérieure.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.95


220-240V AC

-10°C to 40°C

40,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS

OSRAM **FULHAM** PHILIPS

LED CHIPS

bridgelux. CREE CITIZEN NICHIA

LED MINI SPOT LIGHT

DWARF



>>	MODEL	POWER	LUMENS	DIMENSION	CUTOUT
WHITE BODY	DZ-01-RMSLDFCW-1W	1W	100LM	Ø33MM	Ø25MM
	DZ-01-RMSLDFNW-1W	1W	100LM	Ø33MM	Ø25MM
	DZ-01-RMSLDFWW-1W	1W	100LM	Ø33MM	Ø25MM
	DZ-01-RMSLDFPK-1W	1W	100LM	Ø33MM	Ø25MM
	DZ-01-RMSLDFBL-1W	1W	100LM	Ø33MM	Ø25MM
	DZ-01-RMSLDFGR-1W	1W	100LM	Ø33MM	Ø25MM

** CW = 6500K; NW = 4000K; WW = 3000K; PK = PINK; BL = BLUE; GR = GREEN



DESCRIPTION

LeDenza DWARF Led Modular Spot Lights are Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body. DWARF are made with premium grade aluminium die-cast housing, heat sinks with premium Led chips.

LA DESCRIPTION

Les projecteurs modulaires **LeDenza DWARF** Led sont élégants, durables et conçus pour une longue durée de vie, une installation facile et un faible entretien avec un corps sans soudure. Les DWARF sont fabriqués avec un boîtier en aluminium moulé sous pression de qualité supérieure, des dissipateurs de chaleur avec des puces LED de qualité supérieure.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.95


220-240V AC

-10°C to 40°C

20,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS

OSRAM FULHAM PHILIPS

LED CHIPS

bridgelux. CREE CITIZEN NICHIA

LED JUNCTION BOX LIGHT

JBL



MODEL	POWER	LUMENS	DIMENSION	CUTOUT	CCT
DZ-01-RSPJBLWW-3W	3W	270LM	Ø80x20MM	Ø40MM	3000K
DZ-01-RSPJBLNW-3W	3W	285LM	Ø80x20MM	Ø40MM	4000K
DZ-01-RSPJBLCW-3W	3W	300LM	Ø80x20MM	Ø40MM	6500K
DZ-01-RSPJBLPK-3W	3W	225LM	Ø80x20MM	Ø40MM	PINK
DZ-01-RSPJBLBL-3W	3W	225LM	Ø80x20MM	Ø40MM	BLUE
DZ-01-RSPJBLGR-3W	3W	225LM	Ø80x20MM=	Ø40MM	GREEN

** CW = 6500K; NW = 4000K; WW = 3000K; PK = PINK; BL = BLUE; GR = GREEN



DESCRIPTION

LeDenza JBL Led Junction Box Lights are Stylish, Durable and designed for long life, easy installation with inbuilt drivers and low maintenance with seamless body. JBL series are made with premium grade polycarbonate body with premium Led chips.

LA DESCRIPTION

Les lampes de boîte de jonction **LeDenza JBL** Led sont élégantes, durables et conçues pour une longue durée de vie, une installation facile avec des pilotes intégrés et un faible entretien avec un corps sans couture. Les séries JBL sont fabriquées avec un corps en polycarbonate de qualité supérieure avec des puces LED de qualité supérieure.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.85


220-240V AC

-10°C to 40°C

20,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS



LED CHIPS



LED SPOT LIGHT

DUKE



MODEL	POWER	LUMENS	DIMENSION	CUTOUT	CCT
DZ-01-RSPDUKWW-3W	3W	270LM	Ø80x20MM	Ø50MM	3000K
DZ-01-RSPDUKNW-3W	3W	285LM	Ø80x20MM	Ø50MM	4000K
DZ-01-RSPDUKCW-3W	3W	300LM	Ø80x20MM	Ø50MM	6500K
DZ-01-RSPDUKPK-3W	3W	225LM	Ø80x20MM	Ø50MM	PINK
DZ-01-RSPDUKBL-3W	3W	225LM	Ø80x20MM	Ø50MM	BLUE
DZ-01-RSPDUKGR-3W	3W	225LM	Ø80x20MM=	Ø50MM	GREEN

** CW = 6500K; NW = 4000K; WW = 3000K; PK = PINK; BL = BLUE; GR = GREEN

DESCRIPTION

LeDenza DUKE Led Spot Lights are Stylish, Durable and designed for long life, easy installation with inbuilt drivers and low maintenance with seamless body. DUKE series are made with premium grade poly carbonate body, high quality diffuser with premium Led chips.

LA DESCRIPTION

Les lumières **LeDenza** DUKE Led sont élégantes, durables et conçues pour une longue durée de vie, une installation facile avec des pilotes intégrés et un faible entretien avec un corps sans couture. La série DUKE est fabriquée avec un corps en polycarbonate de qualité supérieure, un diffuseur de haute qualité avec des puces LED de qualité supérieure.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.85



220-240V AC

-10°C to 40°C

20,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS

OSRAM FULHAM PHILIPS

LED CHIPS

bridgelux. CREE CITIZEN NICHIA




LED SPOT LIGHT

NEO



MODEL	POWER	LUMENS	DIMENSION	CUTOUT
DZ-01-RSPNEO**-5W	5W	500LM	Ø 115x50MM	Ø 75MM
DZ-01-RSPNEO**-7W	7W	700LM	Ø 115x50MM	Ø 75MM

** CW = 6500K; NW = 4000K; WW = 3000K; PK = PINK; BL = BLUE; GR = GREEN



DESCRIPTION

LeDenza NEO Led Spot Lights are Stylish, Durable and designed for long life, easy installation with inbuilt drivers and low maintenance with seamless body. NEO series are made with premium grade poly carbonate body, high quality diffuser with premium Led chips.

LA DESCRIPTION

Les lumières **LeDenza** NEO Led sont élégantes, durables et conçues pour une longue durée de vie, une installation facile avec des pilotes intégrés et un faible entretien avec un corps sans couture. La série NEO est fabriquée avec un corps en polycarbonate de qualité supérieure, un diffuseur de haute qualité avec des puces LED de qualité supérieure.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR	0.85
INPUT	220-240V AC
OPERATING TEMP.	-10°C to 40°C
LIFE SPAN	20,000 Hrs

High Efficacy


Easy Installation

More Bright

Long Life

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS



LED CHIPS



LED SPOT LIGHT SPOTZ



MODEL	POWER	LUMENS	DIMENSION	CUTOUT
DZ-01-RSPSTZ**-5W	5W	600LM	Ø 115x50MM	Ø 75MM
DZ-01-RSPSTZ**-7W	7W	840LM	Ø 115x50MM	Ø 75MM

** CW = 6500K; NW = 4000K; WW = 3000K

DESCRIPTION

LeDenza SPOTZ Led Spot Lights are Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body. SPOTZ series are made with premium grade poly carbonate body, high quality diffuser with premium Led chips.

LA DESCRIPTION

Les spots LED **LeDenza SPOTZ** sont élégants, durables et conçus pour une longue durée de vie, une installation facile et un faible entretien avec un corps sans couture. Les séries SPOTZ sont fabriquées avec un corps en polycarbonate de qualité supérieure, un diffuseur de haute qualité avec des puces LED de qualité supérieure.

AREA OF APPLICATION


Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR	0.95
INPUT	220-240V AC
OPERATING TEMP.	-10°C to 40°C
LIFE SPAN	35,000 Hrs

Efficacy Rating ★★★★★


Manufactured in accordance with all International Standards



LED DRIVERS



LED CHIPS




LED COB DOWN LIGHT

CORAL



MODEL	POWER	LUMENS	DIMENSION	CUTOUT
DZ-01-RSPCRL**-3W	3W	270LM	Ø65x40MM	Ø59MM
DZ-01-RSPCRL**-6W	6W	540LM	Ø90x40MM	Ø80MM
DZ-01-RSPCRL**-10W	10W	900LM	Ø90x40MM	Ø80MM

** CW = 6500K; NW = 4000K; WW = 3000K



DESCRIPTION

LeDenza CORAL Led Spot Lights are Stylish, Durable and designed for long life, easy installation and low maintenance with seamless body. CORAL is made with premium grade aluminium poly carbonate housing, heat sinks with premium Led chips.

LA DESCRIPTION

Les spots LED LeDenza CORAL sont élégants, durables et conçus pour une longue durée de vie, une installation facile et un faible entretien avec un corps sans couture. CORAL est fabriqué avec un boîtier en polycarbonate d'aluminium de qualité supérieure, des dissipateurs de chaleur avec des puces LED de qualité supérieure.

AREA OF APPLICATION

Offices, Villas, Apartments, Restaurants & Malls.

FEATURES

POWER FACTOR

INPUT

OPERATING TEMP.

LIFE SPAN

High Efficacy

Easy Installation

More Bright

Long Life

0.90


220-240V AC

-10°C to 40°C

25,000 Hrs

Efficacy Rating ★★★★★

Manufactured in accordance with all International Standards



LED DRIVERS

MW OSRAM FULHAM PHILIPS

LED CHIPS

bridgelux. CREE CITIZEN NICHIA